

AGROLEAD

MAGARSUS 25

AGROLEAD

MAGARSUS

www.agrolead.com

MAGARSUS



www.agrolead.com



BIGGER
TRANSPORT CAPACITY
FASTEST
UNLOADING SPEED
LOW CENTER OF
GRAVITY FOR STABILITY

MAGARSUS 25 is a powerful grain cart, adapted to serve one to two medium/large combines in operation. It is easy to drive and operate.

Grain cart MAGARSUS 25 works well with a tractor at approximately 250-150 hp. With such a tractor, slopes and gradients will not set down the driving speed, making it smooth for the grain cart to operate and readily deliver the grain from the fields to the unloading place efficiently. However, in flat fields a 175-150 hp tractor is sufficient. The discharge time is approx. 4 – 3 minutes depending on grain and moisture content.

The grain cart is constructed with a horizontal and vertical auger, reducing problems of unloading even in wet conditions. As a standard, it is delivered with a suspended drawbar and an up and down moving discharge pipe (unloading up to 5 meter loading height) which can operate seed and fertilizers to most of the fertilizer spreaders and many of the seeders found on the market. The MAGARSUS 25 is equipped as standard with roll-top, rear platform, hydraulic leg and optionally with ladders inside and outside, mudguards. The machine is also fitted as standard with good lights on the auger.

The machine is delivered with steerable tandem axle with hydraulic brakes and standard tyres 22,5-50/600

www.agrolead.com

TECHNICAL DETAILS

MAGARSUS 25



Capacity	m3	25
Axle type	type	Steerable Tandem
Brakes	type	Hydraulic
Standard Wheels	inch	22,5-50/600
Required Power	hp	150+
Foldable Front Auger		Standart
Unloading Height Max.	m	5,23
Auger diameter - Horizontal	Ø mm	500
Auger diameter - Vertical	Ø mm	500
Discharge Time	min	3.Nis
Overall Length	mm	8039
Width Without Tires	mm	2710
Overall Width	mm	2976
Overall Height	mm	3423
Empty Weight	kg	6900
Transmission	type	Mechanic
Hydraulic Support Leg		Standart
Suspended drawbar		Standart
Large front window		Standard
Plattform rear		Optional
Ladder inside and out		Optional
Digital weighting system		Optional
Mudguards		Optional

we build professionals

AGROLEAD

Fevziçakmak Mh. Medcezir Caddesi
No:10/113 P.B: 42050
Karatay/KONYA/TURKEY
+90 332 5031047
info@agrolead.com.tr
www.agrolead.com



MAGRAM